

engineering production installation service

Technical Components Catalogue



Improve your efficiency



CATALOGUE INSTRUCTIONS

How to read the catalogue ?

The catalogue is structured per product category, for e.g. chain conveyor - width 83mm (CD083).


A particular part can be found in different subchapters, for e.g. slide rail.

The table of contents indicates the different groups in which the specific part is present.

How to order ?

For each part number you will see the following information

- 1) Description
- 2) Order number = part number **(always reflects to 1 piece or 1 meter)**
- 3) Sales unit: this is the minimum quantity which should be ordered for this part
- 4) Weight per unit of measurement
- 5) Specifications
- 6) Picture of part
- 7) Technical drawing of part



Below you will find a few examples to illustrate

**You need 28m of anodized guiding profile
PA005903**

→ order 30 x PA005903

- minimum quantity is per 6m
- PA005903 = 1 meter profile

**You need 17m of standard chain
PA001536**

→ order 18.29 x PA001536

- minimum quantity is per 3.048 m (1 box of chain)
- PA001536 = 1 meter chain

**You need 45m of teflon tube
PA002202**

→ Order 50 x PA002202

- minimum quantity is per 50m (1 roll)
- PA002202 = 1 meter

**You need 60pcs of fixation blocks length 120
PA003866**

→ Order 75 x PA003866


- minimum quantity is per 25pcs (1 box)
- PA003866 = 1 block

CONTENTS

1 CONVEYOR COMPONENTS	p.5
1.1 CD083 chain conveyor - width 83mm	p.7
1.1.1 Profiles	p.11
1.1.2 Chains	p.15
1.1.3 Drives	p.21
1.1.4 Idlers	p.25
1.1.5 Bends	p.31
1.1.6 Top Covers	p.41
1.1.7 Transfer Plates	p.47
1.2 CD0254 chain conveyor - width 254mm	p.51
1.2.1 Profiles	p.55
1.2.2 Chains	p.59
1.2.3 Drives	p.61
1.2.4 Idlers	p.63
1.2.5 Bends	p.65
1.2.6 Top Covers	p.67
1.3 Flat Belt Conveyors	p.71
1.4 Pallet Conveyors	p.77
1.5 Side Grip Conveyors	p.79
1.6 Guiding Components	p.81
1.7 Fastners	p.95
1.8 Feet	p.101
1.9 Vacuum Options	p.109
1.10 Control Systems	p.117
1.11 Accessories	p.121
2 PROFILE SYSTEMS	p.123
3 LEAK TEST COMPONENTS	p.131
3.1 Test Heads	p.133
3.1.1 Fixed Test Heads	p.135
3.1.2 Test Heads With Blocked Bore Detection	p.139
3.1.3 Flexible Test Heads	p.145
3.1.4 Sealings	p.149
3.1.4.1 Silicone Sealings	p.151
3.1.4.2 Three-Layer Sealings	p.157
3.1.4.3 Rubber Sealings	p.161
3.2 Test Leaks	p.167

1


Conveyor Components




Conveyors Components

CD083 chain conveyor - width 83mm

engineering production installation service







Conveyors Components

CD083 chain conveyor - width 83mm

Profiles



CD083 ALUMINIUM PROFILE 87 X 80

Order number: PA010001

3,41 Kg/Rm

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile for chain conveyor - width 83mm






CD083 SLIDE RAIL

Order number: PA001548

0,10 Kg/Rm

Sales unit : standard roll of 60m

Slide rail for aluminium profile






CD083 SLIDE RAIL PULLER

Order number: PA015992

0,53 Kg/Pc

Sales unit : 1 pc

Tool to pull the slide rail on the conveyor profile





CONNECTION STRIP FOR CONVEYOR PROFILE

Order number: PA002349

0,14 Kg/Pc

Sales unit : 1 pc

Connection strip to assemble the conveyor profile
Screws included





15° CONNECTION STRIP FOR CONVEYOR PROFILE

Order number: PA008064

0,11 Kg/Pc

Sales unit : 1 pc

15° Connection strip to assemble the conveyor profile
Screws included





LEVELLING CONNECTION STRIP WITH SLOT

Order number: PA008161

0,12 Kg/Pc

Sales unit : 1 pc

Connection part to level two conveyors with 15° connection



1.1.2

Conveyors Components

CD083 chain conveyor - width 83mm

Chains


CD083 CHAIN GREEN - R200

Order number: PA001536

2,80 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Standard configuration



Specifications:

Color green
Minimum radius 200mm
Pitch 38.1mm




CD083 CHAIN GREEN - R200 - VACUUM

Order number: PA012366

2,97 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Standard configuration with vacuum



Specifications:

Color green
Minimum radius 200mm
Pitch 38.1mm
Vacuum holes 2 x 8mm




CD083 CHAIN BROWN - R500

Order number: PA001537

1,30 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable products



Specifications:

Color brown
Minimum radius 500mm
Pitch 38.1mm



CD083 CHAIN BROWN - R500 - VACUUM

Order number: PA501725


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable products with vacuum



Specifications:

Color brown
Minimum radius 500mm
Pitch 38.1mm
Vacuum holes 2 x 8mm



3,14 Kg/Rm

CD083 CHAIN GREY EXTRA STABLE - R500

Order number: PA010068


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable small products



Specifications:

Color grey
Minimum radius 500mm
Pitch 25.4mm



5,83 Kg/Rm

CD083 CHAIN GREY EXTRA STABLE - R500 - VACUUM

Order number: PA501805


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable small products with vacuum



Specifications:

Color grey
Minimum radius 500mm
Pitch 25.4mm
Vacuum holes 1 x 8mm



5,83 Kg/Rm

CD083 CHAIN GREY EXTRA STABLE - R500 - WEAR-RESISTANT

Order number: PA026148

5,83 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable small products



Specifications:

Color grey
Minimum radius 500mm
Pitch 25.4mm
Wear-resistant



CD083 CHAIN GREY EXTRA STABLE - R500 - VACUUM - WEAR-RESISTANT

Order number: PA026436

5,83 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for unstable small products with vacuum



Specifications:

Color grey
Minimum radius 500mm
Pitch 25.4mm
Vacuum holes 1 x 8mm
Wear-resistant




CD083 CHAIN WHITE - R200

Order number: PA012395

3,16 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
No standard configuration - available on demand



Specifications:

Color white
Minimum radius 200mm
Pitch 38.1mm



CD083 CHAIN WITH GRIPPERS - R200

Order number: PA001535




5,82 Kg/Rm

Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for side grip conveyors

Specifications:

Color brown
Minimum radius 200mm
Pitch 38.1mm



CD083 CHAIN BROWN WITH PLASTIC PINS - R500

Order number: PA008120


1,09 Kg/Rm

Sales unit: per box (3048mm)

Chain for conveyor - width 83mm
Suitable for metal detection

Specifications:

Color brown
Minimum radius 500mm
Pitch 38.1mm



1.1.3

Conveyors Components

CD083 chain conveyor - width 83mm


Drives

CD083 DRIVE UNIT - LEFT - 12 T - 1/40

Order number: PA013247


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor left side
Reduction 1/40 (270mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,18 kW
750mm chain is needed for each unit




CD083 DRIVE UNIT - RIGHT - 12 T - 1/40

Order number: PA013249


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor right side
Reduction 1/40 (270mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,18 kW
750mm chain is needed for each unit




CD083 DRIVE UNIT - LEFT - 18 T - 1/40

Order number: PA013248


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor left side
Reduction 1/40 (270mm/ sec @ 50 Hz)
Sprocket 18 teeth - pitch 25.4mm
Power 0,18 kW
750mm chain is needed for each unit




CD083 DRIVE UNIT - RIGHT - 18 T - 1/40

Order number: PA013250


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor right side
Reduction 1/40 (270mm / sec @ 50 Hz)
Sprocket 18 teeth - pitch 25.4mm
Power 0,18 kW
750mm chain is needed for each unit




12,32 Kg/pc

CD083 DRIVE UNIT - LEFT - 12 T - 1/20

Order number: PA501854


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor left side
Reduction 1/20 (540mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,37 kW
750mm chain is needed for each unit




13,00 Kg/pc

CD083 DRIVE UNIT - RIGHT - 12 T - 1/20

Order number: PA501855


Sales unit : 1 pc

Drive for chain conveyor - width 83mm



Specifications:

Motor right side
Reduction 1/20 (540mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,37 kW
750mm chain is needed for each unit



13,00 Kg/pc

1.1.4

Conveyors Components

CD083 chain conveyor - width 83mm


Idlers

CD083 IDLER - 12 T

Order number: PA013246

Sales unit : 1 pc

Idler for chain conveyor - width 83mm




Specifications:

Height 150mm

Sprocket 12 teeth - pitch 38.1mm

750mm chain is needed for each unit




3,75 Kg/pc

CD083 IDLER - 9 T

Order number: PA013382

Sales unit : 1 pc

Idler for chain conveyor - width 83mm




Specifications:

Height 120mm

Sprocket 9 teeth - pitch 38.1 mm

750mm chain is needed for each unit




2,89 Kg/pc

CD083 IDLER - 18 T

Order number: PA013245

Sales unit : 1 pc

Idler for chain conveyor - width 83mm




Specifications:

Height 150mm

Sprocket 18 teeth - pitch 25.4mm

750mm chain is needed for each unit




5,80 Kg/pc

CD083 IDLER - 12 T - VACUUM CONNECT. 3X60

Order number: PA004615


Sales unit : 1 pc

Idler for chain conveyor - width 83mm
with vacuum connection



Specifications:

Height 150mm
Sprocket 12 teeth - pitch 38.1mm
1500mm chain is needed for each unit
Vacuum connection 3 x 60mm
See chapter "vacuum options"
for more parts




CD083 BLIND PLATE VACUUM FOR IDLER

Order number: PA007624


Sales unit : 1 pc

Blind plate for idler
with vacuum connection



Specifications:

Diameter 60mm
See chapter "vacuum options"
for more parts




CD083 CONNECTION FLANGE 1 X DIA 60

Order number: PA007753


Sales unit : 1 pc

Connection flange for idler
with vacuum connection



Specifications:

Diameter 60mm
See chapter "vacuum options"
for more parts




CD083 IDLER - 12 T - VAC. CONNECT. 1X125

Order number: PA008162


Sales unit : 1 pc

Idler for chain conveyor - width 83mm
with vacuum connection



Specifications:

Height 150mm
Sprocket 12 teeth - pitch 38.1mm
1500mm chain is needed for each unit
Vacuum connection 1 x 125mm
See chapter "vacuum options"
for more parts




5,00 Kg/pc

CD083 IDLER - 9 T - VAC. CONNECT. 1X90

Order number: PA011741


Sales unit : 1 pc

Idler for chain conveyor - width 83mm
with vacuum connection



Specifications:

Height 120mm
Sprocket 9 teeth - pitch 38.1 mm
1500mm chain is needed for each unit
Vacuum connection 1 x 90mm
See chapter "vacuum options"
for more parts




6,00 Kg/pc

CD083 IDLER - 18 T - VAC. CONNECT. 1X125

Order number: PA020644


Sales unit : 1 pc

Idler for chain conveyor - width 83mm
with vacuum connection



Specifications:

Height 150mm
Sprocket 18 teeth - pitch 25.4mm
1500mm chain is needed for each unit
Vacuum connection 1 x 125mm
See chapter "vacuum options"
for more parts




6,10 Kg/pc

CD083 IDLER - 12 T - VAC. CONNECT. 2X125

Order number: PA016248

Sales unit : 1 pc

Idler for chain conveyor - width 83mm
with vacuum connection



Specifications:

Height 150mm


Sprocket 12 teeth - pitch 38.1mm

2400mm chain is needed for each unit

Vacuum connection 2 x 125mm

See chapter "vacuum options"

for more parts




1.1.5

Conveyors Components

CD083 chain conveyor - width 83mm

Bends






CD083 30° WHEEL BEND - R190

Order number: PA400074


Sales unit : 1 pc

30° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
560mm chain is needed for each unit




CD083 45° WHEEL BEND - R190

Order number: PA004617


Sales unit : 1 pc

45° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
660mm chain is needed for each unit




CD083 60° WHEEL BEND - R190

Order number: PA016426


Sales unit : 1 pc

60° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
760mm chain is needed for each unit




CD083 90° WHEEL BEND - R190

Order number: PA004618


Sales unit : 1 pc

90° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
950mm chain is needed for each unit




CD083 90° WHEEL BEND - R250

Order number: PA025923


Sales unit : 1 pc

90° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 250mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 300mm
1170mm chain is needed for each unit




CD083 120° WHEEL BEND - R190

Order number: PA006879


Sales unit : 1 pc

120° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
1150mm chain is needed for each unit




CD083 180° WHEEL BEND - R190

Order number: PA004619


Sales unit : 1 pc

180° wheel bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 240mm
1520mm chain is needed for each unit




9,00 Kg/pc

CD083 30° SLIDING BEND - R500

Order number: PA501823


Sales unit : 1 pc

30° sliding bend for chain conveyor
width 83mm



Specifications:

Radius 500mm
Maximum 5 bends per each drive
Min. beam length between 2 bends = 160mm
925mm chain is needed for each unit




5,00 Kg/pc

CD083 90° SLIDING BEND - R190

Order number: PA020866


Sales unit : 1 pc

90° sliding bend for chain conveyor
width 83mm



Specifications:

Radius 190mm
Maximum 1 bend per each drive
960mm chain is needed for each unit




2,50 Kg/pc

CD083 90° SLIDING BEND - R500

Order number: PA501716

Sales unit : 1 pc

90° sliding bend for chain conveyor
width 83mm




Specifications:

Radius 500mm

Maximum 1 bend per each drive

1975mm chain is needed for each unit




5,00 Kg/pc

CD083 90° SLIDING BEND WITH VACUUM - R500

Order number: PA023132

Sales unit : 1 pc

90° sliding bend with vacuum for chain conveyor
width 83mm




Specifications:

Radius 500mm

Maximum 1 bend per each drive

1975mm chain is needed for each unit

Vacuum connection 3 x 125mm





17,50 Kg/pc

CD083 5° VERTICAL FIXED BEND

Order number: PA008158

Sales unit : 1 pc

5° fixed bend for chain conveyor
width 83mm





0,25 Kg/pc

CD083 5° VERTICAL FLEXIBLE BEND


Order number: PA004616

Sales unit : 1 pc

5° vertical flexible bend for chain conveyor



0,44 Kg/pc




CD083 15° HORIZONTAL BEND

Order number: PA501730




Sales unit : 1 pc

15° horizontal bend for chain conveyor



Specifications:

Maximum 5 bends per each drive
Min. beam length between 2 bends = 160mm
320mm chain is needed for each unit




CD083 15° HORIZONTAL BEND WITH VACUUM - LEFT

Order number: PA025623




Sales unit : 1 pc

15° horizontal bend for chain conveyor
With vacuum - left



Specifications:

1300mm chain is needed for each unit
Vacuum connection 2 x 125mm



4,60 Kg/pc

CD083 15° HORIZONTAL BEND WITH VACUUM - RIGHT

Order number: PA025624



4,60 Kg/pc

Sales unit : 1 pc

15° horizontal bend for chain conveyor
With vacuum - right

Specifications:

1300mm chain is needed for each unit
Vacuum connection 2 x 125mm




1.1.6

Conveyors Components

CD083 chain conveyor - width 83mm

Top Covers






CD083 TOP COVER FOR CHAIN CONVEYOR

Order number: PA007745


Sales unit : standard lengths of 2m

Top cover for chain conveyor - straight

1,00 Kg/Rm



Specifications:
PETG - transparent




CD083 CONNECTION PART TOP COVER

Order number: PA019420


Sales unit : per pc

Part to connect straight top covers

0,30 Kg/pc



Specifications:
Stainless Steel





CD083 BRACKET FOR TOP COVER

Order number: PA010062

Sales unit : per pc

Bracket to fix the top cover to the profile
Screws included

0,11 Kg/pc




CD083 30° TOP COVER FOR WHEEL BEND - R200




Order number: PA501904

Sales unit : per pc

Top cover for wheel bend - 30°



Specifications:
Stainless Steel
Radius 200mm




0,35 Kg/pc

CD083 45° TOP COVER FOR WHEEL BEND - R200




Order number: PA501901

Sales unit : per pc

Top cover for wheel bend - 45°



Specifications:
Stainless Steel
Radius 200mm




0,50 Kg/pc

CD083 90° TOP COVER FOR WHEEL BEND - R200




Order number: PA501902

Sales unit : per pc

Top cover for wheel bend - 90°



Specifications:
Stainless Steel
Radius 200mm




0,75 Kg/pc

CD083 180° TOP COVER FOR WHEEL BEND - R200


Order number: PA501903

Sales unit : per pc

Top cover for wheel bend - 180°



Specifications:
Stainless Steel
Radius 200mm




CD083 90° TOP COVER FOR SLIDING BEND - R500


Order number: PA015610

Sales unit : per pc

Top cover for wheel bend - 90°



Specifications:
PETG - transparent
Radius 500mm



1.1.7

Conveyors Components

CD083 chain conveyor - width 83mm


Transfer Plates

TRANSFER PLATE

Order number: PA007795


Sales unit : 1 pc

Transfer plate to fit between conveyors



Specifications:

With rolls - low friction




TRANSFER PLATE KIT - CD083

Order number: PA501728


Sales unit : 1 pc

Transfer plate to connect chain conveyors
Including fixation material



Specifications:

With rolls - low friction
Chain conveyor - width 83mm




TRANSFER PLATE KIT - CF100/CD083

Order number: PA400434


Sales unit : 1 pc

Transfer plate to connect flatbelt & chain conveyor
Including fixation material



Specifications:

With rolls - low friction
Chain conveyor - width 83mm
Flatbelt conveyor - width 100mm





CD083 SIDE GUIDING BLOCK

Order number: PA016246

Sales unit : 1 pc

Side guiding block to reduce gap between chains in case of 15° transfer





0,20 Kg/pc

SAFETY WEDGE FOR 15° TRANSFER

Order number: PA023683

Sales unit : 1 pc

Safety wedge for 15° transfer
Prevents jamming of fingers





0,51 Kg/pc

1.2

Conveyors Components

CD0254 chain conveyor - width 254mm





1.2.1

Conveyors Components

CD0254 chain conveyor - width 254mm

Profiles



CD254 ALUMINIUM PROFILE 258 X 80

Order number: PA014689

7,88 Kg/Rm

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile for chain conveyor - width 254mm






CD254 SLIDE RAIL

Order number: PA001548

0,10 Kg/Rm

Sales unit : standard roll of 60m

Slide rail for aluminium profile






CD254 SLIDE RAIL PULLER

Order number: PA020700

0,30 Kg/pc

Sales unit : 1 pc

Tool to pull the slide rail on the conveyor profile





CONNECTION STRIP FOR CONVEYOR PROFILE

Order number: PA002349

0,14 Kg/pc

Sales unit : 1 pc

Connection strip to assemble the conveyor profile
Screws included





15° CONNECTION STRIP FOR CONVEYOR PROFILE

Order number: PA008064

0,11 Kg/Pc

Sales unit : 1 pc

15° Connection strip to assemble the conveyor profile
Screws included





LEVELLING CONNECTION STRIP WITH SLOT

Order number: PA008161

0,12 Kg/Pc

Sales unit : 1 pc

Connection part to level two conveyors with 15° connection



1.2.2

Conveyors Components

CD0254 chain conveyor - width 254mm

Chains

CD254 CHAIN BROWN - R610

Order number: PA010363

7,00 Kg/Rm


Sales unit: per box (3048mm)

Chain for conveyor - width 254mm
Standard configuration



Specifications:

Color brown
Minimum radius 610mm
Pitch 38.1mm



1.2.3

Conveyors Components

CD0254 chain conveyor - width 254mm


Drives

CD254 DRIVE UNIT - LEFT - 12 T - 1/70

Order number: PA010474


Sales unit : 1 pc

Drive for chain conveyor - width 254mm



Specifications:

Motor left side
Reduction 1/70 (155mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,25 kW
750mm chain is needed for each unit




13,00 Kg

CD254 DRIVE UNIT - RIGHT - 12 T - 1/70

Order number: PA501824


Sales unit : 1 pc

Drive for chain conveyor - width 254mm



Specifications:

Motor right side
Reduction 1/70 (155mm / sec @ 50 Hz)
Sprocket 12 teeth - pitch 38.1mm
Power 0,25 kW
750mm chain is needed for each unit



13,00 Kg

1.2.4

Conveyors Components

CD0254 chain conveyor - width 254mm


Idlers

CD254 IDLER - 12 T

Order number: PA010475

Sales unit : 1 pc

Idler for chain conveyor - width 254mm




Specifications:

Height 150mm

Sprocket 12 teeth - pitch 38.1mm

750mm chain is needed for each unit



1.2.5

Conveyors Components

CD0254 chain conveyor - width 254mm

Bends


CD254 90° SLIDING BEND - R610

Order number: PA010480

25,00 Kg/pc

Sales unit : 1 pc

90° wheel bend for chain conveyor
width 254mm




Specifications:

Radius 610mm

Maximum 1 bend per each drive

1900mm chain is needed for each unit






CD254 5° VERTICAL FLEXIBLE BEND

Order number: PA004616

0,44 Kg/pc

Sales unit : 1 pc

5° vertical flexible bend for chain conveyor
2 pieces needed per bend



1.2.6

Conveyors Components

CD0254 chain conveyor - width 254mm


Top Covers

CD254 TOP COVER FOR CHAIN CONVEYOR


Order number: PA010604

Sales unit : standard lengths of 2m

Top cover for chain conveyor - straight



Specifications:
PETG - transparent




1,50 Kg/Rm

CD254 CONNECTION PART TOP COVER


Order number: PA020654

Sales unit : per pc

Part to connect straight top covers



Specifications:
Stainless Steel





0,73 Kg/pc

BRACKET FOR TOP COVER

Order number: PA010062

Sales unit : per pc

Bracket to fix the top cover to the profile




0,11 Kg/pc

CD254 90° TOP COVER FOR WHEEL BEND - R610

Order number: PA020035



Sales unit : per pc

Top cover for wheel bend - 90°



Specifications:
Stainless Steel
Radius 610mm


1.80 Kg/pc



1.3

Conveyors Components

Flat Belt Conveyors



engineering production installation service





BELT FOR FLAT BELT CONVEYOR - CF200X0600

Order number: PA001291

Sales unit : 1 pc

Belt for flat belt conveyor 200mm wide - 600mm long





BELT FOR FLAT BELT CONVEYOR - CF200X1100

Order number: PA001307

Sales unit : 1 pc

Belt for flat belt conveyor 200mm wide - 1100mm long





BELT FOR FLAT BELT CONVEYOR - CF200X1500

Order number: PA001328

Sales unit : 1 pc

Belt for flat belt conveyor 200mm wide - 1500mm long




BELT FOR FLAT BELT CONVEYOR - CF200X2000


Order number: PA001340

Sales unit : 1 pc

Belt for flat belt conveyor 200mm wide - 2000mm long



1,15 Kg/pc




BELT FOR FLAT BELT CONVEYOR - CF200X2300


Order number: PA001351

Sales unit : 1 pc

Belt for flat belt conveyor 200mm wide - 2300mm long



1,35 Kg/Pc




SUPPORT ROLL FOR FLAT BELT CONVEYOR CF200


Order number: PA501871

Sales unit : 1 pc

Support roll for flat belt conveyor - 200mm wide
Used to support the belt in case of conveyors of 2500mm or longer



0,50 Kg/Pc



1.4


Conveyors Components

Pallet Conveyors

Roller conveyors are used for automatic transport of pallets.

Pallet conveying has still one huge advantage opposite AGV 's:
it creates a big buffer, allowing operators to resolve problems on the stretch wrapping unit without affecting the production.

Standard size for pallets up to 1200 mm wide.
Especially designed to allow most of the pallets being transported in any direction.




Additional modules available:

- rotation station
- transfer station
- pallet pushers
- pallet dispensers
- transfer car
- wrapping, strapping
- controller cabinets
- safety fences

1.5

Conveyors Components

Side Grip Conveyors



- The side grip conveyor is used to transport products from one conveyor to another
- Suitable for all types of products
- Easy adjustable in width by use of spindles

1.6

Conveyors Components

Guiding Components



ANODISED GUIDING PROFILE

Order number: PA005903

0,32 Kg/Rm

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Anodised guiding profile
Suitable for teflon or PE tube - dia 12mm



TEFLON TUBE 12 X 10

Order number: PA002202

0,07 Kg/Rm

Sales unit : standard roll of 50m

Teflon tube



Specifications:
Diameter 12mm
Low friction guiding

TENSION SPRING

Order number: PA003372

0,14 Kg/Rm

Sales unit : box (5m)

Tension spring suitable for tubes - dia 12mm
To avoid cracks in bends



POLYETHYLENE TUBE 12 X 10

Order number: PA004501

0,03 Kg/Rm

Sales unit : standard roll of 50m

Polyethylene tube



Specifications:
Diameter 12mm



END CAP FOR TUBE 12 X 10

Order number: PA001169

0,01 Kg/pc

Sales unit : box (25 pcs)

End cap for tubes - dia 12mm




ROUND SHAFT DIAMETER 12 STAINLESS STEEL

Order number: PA003566


0,42 Kg/Rm

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Round shaft - dia 12mm



Specifications:
Length 6000mm
Stainless steel





CROSS CLAMP FOR ROUND SHAFT DIAMETER 12

Order number: PA005970

Sales unit : box (25 pcs)

Cross clamp for round shaft - dia 12mm




CROSS CLAMP WITH KNOBS - DIAMETER 12

Order number: PA027070

Sales unit : 1 pc

Cross clamp with knobs - dia 12mm




GUIDING CLAMP LENGTH 100


Order number: PA005973

Sales unit : box (25 pcs)

Clamp to fix guiding profile



Specifications:
Length 100mm




GUIDING CLAMP LENGTH 150

Order number: PA005972


0,17 Kg/pc

Sales unit : box (25 pcs)

Clamp to fix guiding profile



Specifications:
Length 150mm




GUIDING CLAMP LENGTH 200

Order number: PA005971


0,21 Kg/pc

Sales unit : box (25 pcs)

Clamp to fix guiding profile



Specifications:
Length 200mm




GUIDING CLAMP LENGTH 100 WITH RULER

Order number: PA025619


0,21 Kg/pc

Sales unit : box (25 pcs)

Clamp to fix guiding profile
Including ruler



Specifications:
Length 100mm






PROTECTION CAP FOR GUIDING CLAMP

Order number: PA009700

0,04 Kg/pc

Sales unit : box (100 pcs)

Protection cap for guiding clamp
Used for safety reasons





UNIT GUIDING WHEEL BEND

Order number: PA017029

0,53 Kg/pc

Sales unit : 1 pc

Clamp to fix guiding profile to wheel bend




FIXATION BLOCK LENGTH 80

Order number: PA003865

0,18 Kg/pc


Sales unit : box (25 pcs)

Support block for round shaft - dia 12mm
Screws not included



Specifications:

Length 80mm
Fitting screw = PA001807
(see chapter "fasteners")



FIXATION BLOCK LENGTH 120

Order number: PA003866

0,22 Kg/pc


Sales unit : box (25 pcs)

Support block for round shaft - dia 12mm
Screws not included



Specifications:

Length 120mm
Fitting screw = PA001796
(see chapter "fasteners")



FIXATION BLOCK LENGTH 140

Order number: PA014803

0,26 Kg/pc


Sales unit : box (25 pcs)

Support block for round shaft - dia 12mm
Screws not included



Specifications:

Length 140mm
Fitting screw = PA007382
(see chapter "fasteners")




ROUND SHAFT DIAMETER 12 - LENGTH 100MM

Order number: PA012122

0,09 Kg/pc


Sales unit : box (25 pcs)

Round shaft - dia 12mm



Specifications:

Length 100mm
Stainless steel




ROUND SHAFT DIAMETER 12 - LENGTH 200MM

Order number: PA012123


0,18 Kg/pc

Sales unit : box (25 pcs)

Round shaft - dia 12mm



Specifications:
Length 200mm
Stainless steel




ROUND SHAFT DIAMETER 12 - LENGTH 300MM

Order number: PA012124


0,27 Kg/pc

Sales unit : box (25 pcs)

Round shaft - dia 12mm



Specifications:
Length 300mm
Stainless steel




ROUND SHAFT DIAMETER 12 - LENGTH 400MM

Order number: PA012125


0,35 Kg/pc

Sales unit : box (25 pcs)

Round shaft - dia 12mm



Specifications:
Length 400mm
Stainless steel




ROUND SHAFT DIAMETER 12 - LENGTH 500MM

Order number: PA017601


0,44 Kg/pc

Sales unit : box (25 pcs)

Round shaft - dia 12mm



Specifications:
Length 500mm
Stainless steel




ROUND SHAFT DIAMETER 12 WHEEL BEND

Order number: PA005335


0,21 Kg/pc

Sales unit : 1 pc

Round shaft - dia 12mm for wheel bend



Specifications:
Length 250mm
Stainless steel




CLAMP DIAMETER 12

Order number: PA001237


0,47 Kg/pc

Sales unit : box (25 pcs)

Clamp to fix round shaft - dia 12mm



Fitting screw = PA001801
(see chapter "fasteners")





FIXING COLLAR DIAMETER 12 - M4

Order number: PA025075

0,01 Kg/pc

Sales unit : 1 pc

Fixing collar dia 12mm - M4



PTFE SHEET 1000 X 0,08 ADHESIVE

Order number: PA002220

0,01 Kg/Rm

Sales unit: per metre

Adhesive teflon sheet
To reduce friction at certain surfaces

Specifications:

Density 80μ
Width 1000mm



PTFE SHEET 1000 X 0,25 ADHESIVE

Order number: PA002222

0,02 Kg/Rm


Sales unit: per metre

Adhesive teflon sheet
To reduce friction at certain surfaces

Specifications:

Density 250μ
Width 1000mm







Minimum



Maximum

PA002202
PA005970
PA005973
PA012124
PA005903
PA003865
PA010001





CD083

PA002202
PA005970
PA005973
PA012124
PA005903
PA003866
PA010001





CD083

PA002202
PA005970
PA005972
PA012124
PA005903
PA003866
PA010001





CD083

PA002202
PA005970
PA005972
PA012124
PA005903
PA014803
PA010001





CD083

PA002202
PA005970
PA005971
PA012124
PA005903
PA003865



CD254













PA002202
PA005970
PA005971
PA012124
PA005903
PA003865



CF200

Minimum

Maximum



1.7

Conveyors Components



Fasteners

SQUARE NUT 20 X 20 X 6 - M4

Order number: PA001969

Sales unit : box (50 pcs)

Square nut 20 x 20 x 6 - M4





0,02 Kg/pc

SQUARE NUT 20 X 20 X 6 - M6

Order number: PA001965

Sales unit : box (50 pcs)

Square nut 20 x 20 x 6 - M6





0,02 Kg/pc

SQUARE NUT 20 X 20 X 6 - M8

Order number: PA001966

Sales unit : box (50 pcs)

Square nut 20 x 20 x 6 - M8





0,01 Kg/pc

SQUARE NUT 20 X 13 X 5 - M8

Order number: PA001963

Sales unit : box (50 pcs)

Square nut 20 x 13 x 5 - M8





0,01 Kg/pc

TENSION SPRING FOR SQUARE NUT

Order number: PA007560

Sales unit : box (50 pcs)

Tension spring for square nut



0,01 Kg/pc

HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X16


Order number: PA001797

sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 16



Specifications:
Tensile strength 8.8
Sunk



0,01 Kg/pc

HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X20

Order number: PA001798



0,01 Kg/pc

sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 20

Specifications:

Tensile strength 8.8
Sunk



HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X35

Order number: PA001801



0,02 Kg/pc

sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 35

Specifications:

Tensile strength 8.8
Sunk



HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X80

Order number: PA001807



0,03 Kg/pc

sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 80

Specifications:

Tensile strength 8.8
Sunk



HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X120

Order number: PA001796

0,05 Kg/pc


sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 120



Specifications:

Tensile strength 8.8
Sunk




HEXAGON SOCKET HEAD CAP SCREW - DIN912 - M8X140

Order number: PA007382

0,06 Kg/pc


sales unit : box (50 pcs)

Hexagon socket head cap screw - DIN912 - M8 x 140



Specifications:

Tensile strength 8.8
Sunk



HEXAGON HEAD SCREW - DIN933 - M8X100

Order number: PA001858

0,04 Kg/pc

sales unit : box (50 pcs)

Hexagon head screw - DIN933 - M8 x 100



Specifications:

Tensile strength 8.8
Sunk



HEXAGON HEAD SCREW - DIN933 - M8X16

Order number: PA001861

0,01 Kg/pc



sales unit : box (50 pcs)

Hexagon head screw - DIN933 - M8 x 16

Specifications:

Tensile strength 8.8

Sunk



1.8

Conveyors Components



Feet

FOOT FOR CONVEYOR 600-800 MM

Order number: PA004886

Sales unit : 1 pc

Adjustable foot for chain and flatbelt conveyor
Height adjustable between 600mm and 800mm





FOOT FOR CONVEYOR 800-1200 MM

Order number: PA004887

Sales unit : 1 pc

Adjustable foot for chain and flatbelt conveyor
Height adjustable between 800mm and 1200mm





FOOT FOR CONVEYOR 1000-1600 MM

Order number: PA004892

Sales unit : 1 pc

Adjustable foot for chain and flatbelt conveyor
Height adjustable between 1000mm and 1600mm



BRACKET FOR FOOT - CHAIN 83MM

Order number: PA008439


Sales unit : 1 pc

Bracket to assemble conveyor on foot
Suitable for chain conveyor - width 83mm



Specifications:
Galvanised steel

0,68 Kg/pc




BRACKET FOR FOOT - CHAIN 254MM

Order number: PA019193


Sales unit : 1 pc

Bracket to assemble conveyor on foot
Suitable for chain conveyor - width 254mm



Specifications:
Galvanised steel

1,84 Kg/pc




BRACKET FOR FOOT - FLAT 200MM

Order number: PA019195


Sales unit : 1 pc

Bracket to assemble conveyor on foot
Suitable for flatbelt conveyor - width 200mm



Specifications:
Aluminium

1,67 Kg/pc




BRACKET FOR FOOT - FLAT 300MM


Order number: PA020967

Sales unit : 1 pc

Bracket to assemble conveyor on foot
Suitable for flatbelt conveyor - width 300mm



Specifications:
Aluminium




2,30 Kg/pc

BRACKET FOR FOOT - FLAT 400MM


Order number: PA020968

Sales unit : 1 pc

Bracket to assemble conveyor on foot
Suitable for flatbelt conveyor - width 400mm



Specifications:
Aluminium




2,50 Kg/pc

MOVEABLE FOOT


Order number: PA005965

Sales unit : 1 pc

Moveable foot for all types of conveyors
Height adjustable between 800mm and 1400mm



Specifications:
Paint RAL7032



48,00 Kg/pc


FIXATION BRACKET FOR MOVEABLE FOOT

Order number: PA010531


1,30 Kg/pc

Sales unit : 1 pc

Bracket to assemble conveyor on moveable foot
Suitable for all types of conveyor



Specifications:
Aluminium




ROTATION BRACKET FOR MOVEABLE FOOT

Order number: PA010215


3,33 Kg/pc

Sales unit : 1 pc

Bracket to rotate conveyor on moveable foot
Suitable for all types of conveyor



Specifications:
Galvanised steel




ACTUATOR STROKE 200

Order number: PA021125


0,00 Kg/pc

Sales unit : 1 pc

Actuator for electrical height regulation
5 meter cable included



Specifications:
Stroke 200
Capacity: 100 kg per actuator




ACTUATOR STROKE 400

Order number: PA021099

Sales unit : 1 pc

Actuator for electrical height regulation
5 meter cable included




Specifications:

Stroke 400

Capacity: 100 kg per actuator

0,00 Kg/pc





FIXATION KIT FOR ACTUATOR

Order number: PA021159

Sales unit : 1 kit

Fixation kit to fix actuator to conveyor foot
Screws included

0,75 Kg/pc



RAWL PLUG

Order number: PA016769

Sales unit : 1 pc

Rawl plug to fix conveyor foot into the floor
M12 X 155

0,14 Kg/pc





ADJUSTABLE FOOT

Order number: PA001513

Sales unit : 1 pc

Adjustable foot (including lock nuts)
M16 X 125

Specifications:
Galvanised steel



0,19 Kg/pc




INSERT BLOCK FOR ADJUSTABLE FOOT

Order number: PA009006

Sales unit : 1 pc

Block to press in aluminium profile to screw foot on
Suitable for aluminium profile 50X50 (PA005901)

Specifications:
Aluminium





0,06 Kg/pc

HANDLE FOR CONVEYOR FOOT

Order number: PA002015

Sales unit : 1 pc

Adjustable handle for conveyor foot
M8 X 16




0,03 Kg/pc

1.9

Conveyors Components

Vacuum Options







CD083 VACUUM CONNECT. L = 500MM

Order number: PA501714

3,00 Kg/pc

Sales unit : 1 pc

Vacuum section for chain conveyor - width 83mm
Length 500mm





CD083 VACUUM CONNECT. L = 1050MM

Order number: PA001436

9,00 Kg/pc

Sales unit : 1 pc

Vacuum section for chain conveyor - width 83mm
Length 1050mm





CD083 VACUUM CONNECT. L = 1500MM

Order number: PA501859

13,00 Kg/pc

Sales unit : 1 pc

Vacuum section for chain conveyor - width 83mm
Length 1500mm



PROTECTION CAP ROUND



Order number: PA024089

0,10 Kg/pc

Sales unit : 1 pc

Protection cap round
Used for safety issues in case vacuum pump is not connected

125 x 2,5mm



VACUUM PUMP

Order number: PA501715



12,00 Kg/pc

Sales unit : 1 pc

Vacuum pump
Motor safety switch and connection flange 125mm included

Specifications:

Power 1,1 kW
Power supply 3 x 400V - 50Hz
Exhaust diameter 125mm





CONNECTION FLANGE 3 X DIA 60

Order number: PA007072

1,40 Kg/pc

Sales unit : 1 pc

Connection flange for vacuum pump
3 x diameter 60mm





CONNECTION FLANGE 1 X DIA 90

Order number: PA009912

1,23 Kg/pc

Sales unit : 1 pc

Connection flange for vacuum pump
1 x diameter 90mm





CONNECTION FLANGE 1 X DIA 125

Order number: PA008694

1,01 Kg/pc

Sales unit : 1 pc

Connection flange for vacuum pump
1 x diameter 125mm



FLEXIBEL VACUUM TUBE DIA 60MM

Order number: PA002217

0,80 Kg/pc

Sales unit : per roll (10m)
Available to size per metre (extra fee will be charged)

Flexible vacuum tube
Diameter 60mm



FLEXIBEL VACUUM TUBE DIA 90MM

Order number: PA002218

1,00 Kg/pc

Sales unit : per roll (10m)
Available to size per metre (extra fee will be charged)

Flexible vacuum tube
Diameter 90mm



FLEXIBEL VACUUM TUBE DIA 127MM

Order number: PA002219

1,20 Kg/pc

Sales unit : per roll (10m)
Available to size per metre (extra fee will be charged)

Flexible vacuum tube
Diameter 127mm



FIXING STRAP DIAMETER 60MM

Order number: PA001187

0,03 Kg/pc

Sales unit : 1 pc

Strap to fix vacuum tube
Suitable for diameter 60mm



FIXING STRAP DIAMETER 80 - 100MM

Order number: PA007787

0,05 Kg/pc

Sales unit : 1 pc

Strap to fix vacuum tube
Suitable for diameter 80 - 100mm



FIXING STRAP DIAMETER 120 - 140MM

Order number: PA006891

0,06 Kg/pc

Sales unit : 1 pc

Strap to fix vacuum tube
Suitable for diameter 120 - 140mm



1.10

Conveyors Components



Control Systems

DLC010 - CONTROL CABINET FOR HEIGHT REGULATION

Order number: PA014029

Sales unit : 1 pc

Control cabinet for height regulation
CE version





8,55 Kg/pc

DLC010 - CONTROL CABINET FOR HEIGHT REGULATION

Order number: PA018384

Sales unit : 1 pc

Control cabinet for height regulation
UL/CSA Version




8,55 Kg/pc

DLC011 - CONTROL CABINET WITHOUT PLC


Order number: PA013343

Sales unit : 1 pc

Control cabinet without PLC



Specifications:
1 drive (0,18 kW) included
Up to maximum 2 drives



8,40 Kg/pc

FREQUENCY DRIVE - 0,20 KW

Order number: PA022215

0,14 Kg/pc

Sales unit : 1 pc

Frequency drive - 0,20 kW



Specifications:
For 0,18 kW motor

FREQUENCY DRIVE - 0,40 KW

Order number: PA021801

0,11 Kg/Pc

Sales unit : 1 pc

Frequency drive - 0,40 kW



Specifications:
For 0,37 kW motor

FREQUENCY DRIVE - 0,75 KW

Order number: PA022528

0,12 Kg/Pc

Sales unit : 1 pc

Frequency drive - 0,75 kW



Specifications:
For 0,75 kW motor

1.11

Conveyors Components

Accessories



WIRE TRAY 60 X 60

Order number: PA000384

1,70 Kg/Rm

Sales unit : standard lengths of 3m

Wire tray to support electrical cables under conveyors
60 x 60 mm





CONNECTION FOR WIRE TRAY

Order number: PA000385

0,01 Kg/pc

Sales unit : 1 pc

Support to connect wire tray to conveyor side





FIXATION BRACKET FOR WIRE TRAY

Order number: PA002786

0,26 Kg/pc

Sales unit : 1 pc

Bolt and clamp to connect wire tray sections



2


Profile Systems

ALUMINIUM PROFILE 50 X 50


Order number: PA005901

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 50 x 50 mm



2,94 Kg/Lm




ALUMINIUM PROFILE 40 X 40


Order number: PA005902

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 40 x 40 mm



1,93 Kg/Lm




ALUMINIUM PROFILE 100 X 50


Order number: PA007829

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 100 x 50 mm



4,97 Kg/Lm




ALUMINIUM PROFILE 87 X 68.5


Order number: PA010008

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 87 x 68.5 mm



3,41 Kg/Lm




ALUMINIUM PROFILE 80 X 23.5


Order number: PA005904

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 80 x 23.5 mm



1,34 Kg/Lm




ALUMINIUM PROFILE 90 X 45


Order number: PA010007

Sales unit : standard lengths of 6m
Available to size per metre (extra fee will be charged)

Aluminium profile 90 x 45 mm



3,75 Kg/Lm




ENDCAP FOR PROFILE 50 X 50MM


Order number: PA001506

Sales unit : 1 pc

Endcap for profile 50 x 50 mm



0,01 Kg/pc




ENDCAP FOR PROFILE 40 X 40MM


Order number: PA001165

Sales unit : 1 pc

Endcap for profile 40 x 40 mm



0,01 Kg/pc




ENDCAP FOR PROFILE 100 X 50MM


Order number: PA002177

Sales unit : 1 pc

Endcap for profile 100 x 50 mm



0,02 Kg/pc





ENDCAP FOR PROFILE 68.5 X 87MM

Order number: PA011577

Sales unit : 1 pc

Endcap for profile 68.5 x 87 mm




ANGLE 50 CROSSED SLOTS


Order number: PA004047

Sales unit : 1 pc

Angle to connect aluminium profile



Specifications:
Crossed slots
Width 50mm
Aluminium




ANGLE 50 SLOTS LINED UP


Order number: PA004049

Sales unit : 1 pc

Angle to connect aluminium profile



Specifications:
Slots lined up
Width 50mm
Aluminium




ANGLE 40 CROSSED SLOTS


Order number: PA001252

Sales unit : 1 pc

Angle to connect aluminium profile



Specifications:
Crossed slots
Width 40mm
Aluminium




0,06 Kg/pc

ANGLE 40 SLOTS LINED UP


Order number: PA004048

Sales unit : 1 pc

Angle to connect aluminium profile



Specifications:
Slots lined up
Width 40mm
Aluminium




0,09 Kg/pc

INTERNAL CONNECTION PLATE FOR PROFILE



Order number: PA013524

Sales unit : 1 pc

Internal connection plate for profile



Specifications:
Steel - galvanised




0,12 Kg/pc

EXTERNAL CONNECTION PLATE 45°



Order number: PA005642

Sales unit : 1 pc

External connection plate 45°



Specifications:
Steel - galvanised




0,34 Kg/pc

EXTERNAL CONNECTION PLATE 60°



Order number: PA012775

Sales unit : 1 pc

External connection plate 60°



Specifications:
Steel - galvanised




0,53 Kg/pc

EXTERNAL CONNECTION PLATE 90°




Order number: PA005641

Sales unit : 1 pc

External connection plate 90°



Specifications:
Steel - galvanised





0,28 Kg/pc

BRACKET

Order number: PA005860

Sales unit : 1 pc

Bracket to connect aluminium profiles
Without slots





0,41 Kg/pc

LONG CONNECTION STRIP FOR STANDARD SLOT

Order number: PA021304

Sales unit : 1 pc

Long connection strip for standard slots in profiles
Suitable for M8



0,10 Kg/pc

3

Leak Test Components

3.1

Leak Test Components

Test Heads

3.1.1

Conveyors Components

Test Heads

Fixed Test Heads


TKD020 / FIXED TEST HEAD 5-17 MM

Order number: **PA501392**


0,060 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 5-17 mm
Suitable for products for necks between 8-14 mm



Specifications:
Thread M10 x 1.25
Aluminium




TKD025 / FIXED TEST HEAD 3-22 MM

Order number: **PA501860**


0,069 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 3-22 mm
Suitable for products for necks between 8-16 mm



Specifications:
Thread M10 x 1.25
Aluminium




TKD030 / FIXED TEST HEAD 3-27 MM

Order number: **PA501393**


0,094 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 3-27 mm
Suitable for products for necks between 8-20 mm



Specifications:
Thread M10 x 1.25
Aluminium



TKD045 / FIXED TEST HEAD 14-40 MM



Order number: **PA501305**

0,139 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 14-40 mm
Suitable for products for necks between 20-34 mm

Specifications:
Thread M10 x 1.25
Aluminium



TKD060 / FIXED TEST HEAD 10-55 MM



Order number: **PA501396**

0,211 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 10-55 mm
Suitable for products for necks between 20-49 mm

Specifications:
Thread M10 x 1.25
Aluminium



TKD080 / FIXED TEST HEAD 14-75 MM



Order number: **PA500526**

0,345 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 14-75 mm
Suitable for products for necks between 20-69 mm

Specifications:
Thread M10 x 1.25
Aluminium



TKD100 / FIXED TEST HEAD 14-95 MM



Order number: **PA501828**

0,549 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 20-95 mm
Suitable for products for necks between 26-89 mm

Specifications:
Thread M10 x 1.25
Aluminium



TKD100 / FIXED TEST HEAD 25-95 MM



Order number: **PA500209**

0,525 Kg/pc

Sales unit : 1 pc

Fixed test head with sealing 25-95 mm
Suitable for products for necks between 31-89 mm

Specifications:
Thread M10 x 1.25
Aluminium



3.1.2

Leak Test Components

Test Heads

Test Heads With Blocked Bore Detection


HDC030 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 6-25 MM

Order number: PA501217

0,18 Kg/pc

Sales unit : 1 pc


Fixed test head with blocked bore detection with sealing 6-25 mm
Suitable for products for necks between 8-20 mm



Specifications:

Thread M10 x 1.25

Blocked bore calibre is NOT included




HDC035 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 11-31 MM

Order number: PA501389

0,21 Kg/pc

Sales unit : 1 pc


Fixed test head with blocked bore detection with sealing 11-31 mm
Suitable for products for necks between 17-25mm



Specifications:

Thread M10 x 1.25

Blocked bore calibre is NOT included




HDC040 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 5-35 MM

Order number: PA501517

0,31 Kg/pc

Sales unit : 1 pc


Fixed test head with blocked bore detection with sealing 5-35 mm
Suitable for products for necks between 11-29mm



Specifications:

Thread M10 x 1.25

Blocked bore calibre is NOT included




HDC060 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 14-55 MM

Order number: PA501300


Sales unit : 1 pc

Fixed test head with blocked bore detection with sealing 14-55 mm
Suitable for products for necks between 20-49mm

0,43 Kg/pc



Specifications:
Thread M10 x 1.25
Blocked bore calibre is NOT included




HDC080 / FLEXIBLE TEST HEAD WITH BLOCKED BORE DETECTION 14-75 MM

Order number: PA501542


Sales unit : 1 pc

Flexible test head with blocked bore detection with sealing 14-75 mm
Suitable for products for necks between 20-69 mm

0,70 Kg/pc



Specifications:
Thread M10 x 1.25
Blocked bore calibre is NOT included




HDC080 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 14-75 MM

Order number: PA501301


Sales unit : 1 pc

Fixed test head with blocked bore detection with sealing 14-75 mm
Suitable for products for necks between 20-69 mm

0,79 Kg/pc



Specifications:
Thread M10 x 1.25
Blocked bore calibre is NOT included




HDC100 / FIXED TEST HEAD WITH BLOCKED BORE DETECTION 25-95 MM

Order number: PA500517

0,96 Kg/pc


Sales unit : 1 pc

Fixed test head with blocked bore detection with sealing 25-95 mm
Suitable for products for necks between 31-89mm



Specifications:

Thread M10 x 1.25
Blocked bore calibre is NOT included




BLOCKED BORE CALIBER

Order number: PA007963

0,26 Kg/pc


Sales unit : 1 pc

Blocked bore caliber
Only suitable for HDC060-HDC080-HDC100



Specifications:

Rough part
To be turned to the correct diameter by the customer



PROXIMITY SWITCH M8 X 1

Order number: PA000678

0,20 Kg/pc

Sales unit : 1 pc

Proximity switch M8 x 1



Blocked bore caliber to size (only suitable for HDC060 – HDC080 and HDC100)

PA022702

- BLOCKED BORE CALIBER - **DIAMETER 25**

PA022705

- BLOCKED BORE CALIBER - **DIAMETER 27**

PA022706

- BLOCKED BORE CALIBER - **DIAMETER 29**

PA022707

- BLOCKED BORE CALIBER - **DIAMETER 31**

PA022708

- BLOCKED BORE CALIBER - **DIAMETER 33**

PA022681


- BLOCKED BORE CALIBER - **DIAMETER 35**

PA022709

- BLOCKED BORE CALIBER - **DIAMETER 37**

PA022710

- BLOCKED BORE CALIBER - **DIAMETER 39**



X

DIA.25 = PA022702

DIA.27 = PA022705

DIA.29 = PA022706


DIA.31 = PA022707

DIA.33 = PA022708

DIA.35 = PA022681

DIA.37 = PA022709

DIA.39 = PA022710



3.1.3

Conveyors Components

Test Heads

Flexible Test Heads


TKF04_080 / FLEXIBLE TEST HEAD 14-75 MM - 4°

Order number: PA501802


0,40 Kg/pc

Sales unit : 1 pc

Flexible test head with sealing 14-75 mm - maximum inclination of 4°
Suitable for products for necks between 20-69 mm



Specifications:
Thread M10 x 1.25
Aluminium




TKF04_100 / FLEXIBLE TEST HEAD 25-95 MM - 4°

Order number: PA500053


0,69 Kg/pc

Sales unit : 1 pc

Flexible test head with sealing 25-95 mm - maximum inclination of 4°
Suitable for products for necks between 31-89 mm



Specifications:
Thread M10 x 1.25
Aluminium




TKF04_130 / FLEXIBLE TEST HEAD 30-125 MM - 4°

Order number: PA500050


1,20 Kg/pc

Sales unit : 1 pc

Flexible test head with sealing 30-125 mm - maximum inclination of 4°
Suitable for products for necks between 40-115 mm



Specifications:
Thread M10 x 1.25
Aluminium



TKF04_150 / FLEXIBLE TEST HEAD 15-145 MM - 4°

Order number: PA501884



1,28 Kg/pc

Sales unit : 1 pc

Flexible test head with sealing 15-145 mm - maximum inclination of 4°
Suitable for products for necks between 25-135 mm

Specifications:

Thread M10 x 1.25
Aluminium



TKF04_150 / FLEXIBLE SQUARE TEST HEAD 15-145 MM - 4°

Order number: PA501911



1,56 Kg/pc

Sales unit : 1 pc

Flexible square test head with sealing 15-145 mm - maximum inclination of 4°
Suitable for products for necks between 25-135 mm

Specifications:

Thread M10 x 1.25
Aluminium



3.1.4

Leak Test Components

Test Heads

Sealings

3.1.4.1

Conveyors Components

Test Heads

Sealings

Silicone Sealings

SILICONE SEALING - DIA 22X03X05

Order number: PA012807

0,002 Kg/pc

Sales unit : 1 pc

Silicone sealing - Diameter 22x03x05

Ø22 | Ø3



Specifications:

Food approved
40° shore



SILICONE SEALING - DIA 25X06X05

Order number: PA007275

0,003 Kg/pc

Sales unit : 1 pc

Silicone sealing - Diameter 25x06x05

Ø25 | Ø6



Specifications:

Food approved
40° shore



SILICONE SEALING - DIA 27X03X05

Order number: PA008299

0,003 Kg/pc

Sales unit : 1 pc

Silicone sealing - Diameter 27x03x05

Ø27 | Ø3




Specifications:

Food approved
40° shore



SILICONE SEALING - DIA 36X06X05


Order number: PA008191



Sales unit : 1 pc

Silicone sealing - Diameter 36x06x05

Ø36 | Ø6




Specifications:
Food approved
40° shore



SILICONE SEALING - DIA 40X08X05

Order number: PA007782



Sales unit : 1 pc

Silicone sealing - Diameter 40x08x05

Ø40 | Ø8




Specifications:
Food approved
40° shore



SILICONE SEALING - DIA 55X10X05


Order number: PA007905



Sales unit : 1 pc

Silicone sealing - Diameter 55x10x05

Ø55 | Ø10



Specifications:
Food approved
40° shore



SILICONE SEALING - DIA 55X14X05

Order number: PA002263

0,012 Kg/pc


Sales unit : 1 pc

Silicone sealing - Diameter 55x14x05

Specifications:
Food approved
40° shore



Ø55 | Ø14



SILICONE SEALING - DIA 75X14X05

Order number: PA008446

0,025 Kg/pc


Sales unit : 1 pc

Silicone sealing - Diameter 75x14x05

Specifications:
Food approved
40° shore



Ø75 | Ø14



SILICONE SEALING - DIA 95X09X05

Order number: PA015028

0,039 Kg/pc


Sales unit : 1 pc

Silicone sealing - Diameter 95x09x05

Specifications:
Food approved
40° shore



Ø95 | Ø09



SILICONE SEALING - DIA 95X25X05

Order number: PA008691

0,035 Kg/pc


Sales unit : 1 pc

Silicone sealing - Diameter 95x25x05



Specifications:
Food approved
40° shore

Ø95 | Ø25



SILICONE SEALING - DIA 145X14X05

Order number: PA017833

0,089 Kg/pc


Sales unit : 1 pc

Silicone sealing - Diameter 145x14x05



Specifications:
Food approved
40° shore

Ø145 | Ø14



3.1.4.2

Conveyors Components


Test Heads

Sealings

3-Layer Sealings

THREE-LAYER SEALING - DIA 31X11X07

Order number: PA018441



Sales unit : 1 pc

Three layer silicone - Diameter 31x11x07

Ø31 | Ø11




Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 40X08X07


Order number: PA023701



Sales unit : 1 pc

Three layer silicone - Diameter 40x08x07

Ø40 | Ø08




Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 55X10X07


Order number: PA020666



Sales unit : 1 pc

Three layer silicone - Diameter 55x10x07

Ø55 | Ø10



Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 75X14X07

Order number: PA002266

0,016 Kg/pc


Sales unit : 1 pc

Three layer silicone - Diameter 75x14x07

Ø75 | Ø14

Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 95X25X07

Order number: PA021705

Kg/pc


Sales unit : 1 pc

Three layer silicone - Diameter 95x25x07

Ø95 | Ø25

Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 125X30X07

Order number: PA021423

0,045 Kg/pc


Sales unit : 1 pc

Three layer silicone - Diameter 125x30x07

Ø125 | Ø30

Specifications:

Not food approved
More flexible then silicone sealing



THREE-LAYER SEALING - DIA 145X14X07

Order number: PA018592

0,062 Kg/pc

Sales unit : 1 pc


Three layer silicone - Diameter 145x14x07

Specifications:

Not food approved
More flexible then silicone sealing



Ø145 | Ø14



THREE-LAYER SEALING - DIA 145X145X14

Order number: PA021047

0,076 Kg/pc

Sales unit : 1 pc


Three layer silicone - Diameter 145x145x14

Specifications:

Not food approved
More flexible then silicone sealing



145 | 14



3.1.4.3

Conveyors Components


Test Heads

Sealings

Rubber Sealings

RUBBER SEALING - DIA 17X05X05

Order number: PA002254



Sales unit : 1 pc

Rubber sealing - Diameter 17x05x05

Ø17 | Ø5




Specifications:
Not food approved



RUBBER SEALING - DIA 27X03X05

Order number: PA011422



Sales unit : 1 pc

Rubber sealing - Diameter 27x03x05

Ø27 | Ø3




Specifications:
Not food approved



RUBBER SEALING - DIA 31X11X05


Order number: PA002258



Sales unit : 1 pc

Rubber sealing - Diameter 31x11x05

Ø31 | Ø11



Specifications:
Not food approved



RUBBER SEALING - DIA 40X08X05

Order number: PA020368

0,005 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 40x08x05

Ø40 | Ø8

Specifications:
Not food approved



RUBBER SEALING - DIA 55X10X05

Order number: PA002260


0,013 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 55x10x05

Ø55 | Ø10

Specifications:
Not food approved



RUBBER SEALING - DIA 55X14X05

Order number: PA002261


0,012 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 55x14x05

Ø55 | Ø14

Specifications:
Not food approved



RUBBER SEALING - DIA 75X14X05


Order number: PA002265

0,024 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 75x14x05

Specifications:
Not food approved



RUBBER SEALING - DIA 95X25X05


Order number: PA002267

0,037 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 95x25x05

Specifications:
Not food approved



RUBBER SEALING - DIA 125X30X05


Order number: PA002252

0,066 Kg/pc

Sales unit : 1 pc

Rubber sealing - Diameter 125x30x05

Specifications:
Not food approved



3.2

Conveyors Components

Test Leaks


CALIBRATED LEAK M5 - DIA 0.10

Order number: PA004421

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.10




CALIBRATED LEAK M5 - DIA 0.15

Order number: PA004422

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.15




CALIBRATED LEAK M5 - DIA 0.20

Order number: PA007896

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.20




CALIBRATED LEAK M5 - DIA 0.22

Order number: PA008771

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.22




CALIBRATED LEAK M5 - DIA 0.26

Order number: PA004419

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.26




CALIBRATED LEAK M5 - DIA 0.30

Order number: PA004423

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.30




CALIBRATED LEAK M5 - DIA 0.40

Order number: PA022344

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.40




CALIBRATED LEAK M5 - DIA 0.50

Order number: PA004424

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.50




CALIBRATED LEAK M5 - DIA 0.70

Order number: PA004425

0,001 Kg/pc

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.70



CALIBRATED LEAK M5 - DIA 0.90


Order number: PA004426

Sales unit : 1 pc

Calibrated leak M5 - Diameter 0.90



0,001 Kg/pc



CALIBRATED LEAK M5 - DIA 1.00


Order number: PA004427

Sales unit : 1 pc

Calibrated leak M5 - Diameter 1.00



0,001 Kg/pc





BOX WITH CALIBRATED LEAK M5 - DIA 0.10

Order number: PA025835

Sales unit : 1 pc

Box with calibrated leak M5 - Diameter 0.10





0,349 Kg/pc

BOX WITH CALIBRATED LEAK M5 - DIA 0.15

Order number: PA025324

Sales unit : 1 pc

Box with calibrated leak M5 - Diameter 0.15





0,349 Kg/pc

BOX WITH CALIBRATED LEAK M5 - DIA 0.20

Order number: PA025325

Sales unit : 1 pc

Box with calibrated leak M5 - Diameter 0.20





0,349 Kg/pc

BOX WITH CALIBRATED LEAK M5 - DIA 0.22

Order number: PA025326

Sales unit : 1 pc

Box with calibrated leak M5 - Diameter 0.22



0,349 Kg/pc

INDEX BY REFERENCE

REF.	PAGE	REF.	PAGE	REF.	PAGE
PA000384.....	p.122	PA002349.....	p.57	PA007787.....	p.116
PA000385.....	p.122	PA002786.....	p.122	PA007795.....	p.48
PA000678.....	p.142	PA003372.....	p.82	PA007829.....	p.124
PA001165.....	p.126	PA003566.....	p.83	PA007896.....	p.168
PA001169.....	p.83	PA003865.....	p.86	PA007905.....	p.153
PA001187.....	p.115	PA003866.....	p.87	PA007963.....	p.142
PA001237.....	p.89	PA004047.....	p.127	PA008064.....	p.13
PA001252.....	p.128	PA004048.....	p.128	PA008064.....	p.57
PA001291.....	p.74	PA004049.....	p.127	PA008120.....	p.19
PA001307.....	p.74	PA004419.....	p.169	PA008158.....	p.37
PA001328.....	p.74	PA004421.....	p.168	PA008161.....	p.13
PA001340.....	p.75	PA004422.....	p.168	PA008161.....	p.57
PA001351.....	p.75	PA004423.....	p.169	PA008162.....	p.28
PA001436.....	p.112	PA004424.....	p.170	PA008191.....	p.153
PA001506.....	p.126	PA004425.....	p.170	PA008299.....	p.152
PA001513.....	p.107	PA004426.....	p.171	PA008439.....	p.103
PA001535.....	p.19	PA004427.....	p.171	PA008446.....	p.154
PA001536.....	p.16	PA004501.....	p.83	PA008691.....	p.155
PA001537.....	p.16	PA004615.....	p.27	PA008694.....	p.114
PA001548.....	p.12	PA004616.....	p.38	PA008771.....	p.169
PA001548.....	p.56	PA004616.....	p.66	PA009006.....	p.107
PA001796.....	p.99	PA004617.....	p.34	PA009700.....	p.86
PA001797.....	p.97	PA004618.....	p.35	PA009912.....	p.114
PA001798.....	p.98	PA004619.....	p.36	PA010001.....	p.12
PA001801.....	p.98	PA004886.....	p.102	PA010007.....	p.125
PA001807.....	p.98	PA004887.....	p.102	PA010008.....	p.125
PA001858.....	p.99	PA004892.....	p.102	PA010062.....	p.44
PA001861.....	p.100	PA005335.....	p.89	PA010062.....	p.68
PA001963.....	p.97	PA005641.....	p.129	PA010068.....	p.17
PA001965.....	p.96	PA005642.....	p.129	PA010215.....	p.105
PA001966.....	p.96	PA005860.....	p.130	PA010363.....	p.60
PA001969.....	p.96	PA005901.....	p.124	PA010474.....	p.62
PA002015.....	p.107	PA005902.....	p.124	PA010475.....	p.64
PA002177.....	p.126	PA005903.....	p.82	PA010480.....	p.66
PA002202.....	p.82	PA005904.....	p.125	PA010531.....	p.105
PA002217.....	p.114	PA005965.....	p.104	PA010604.....	p.68
PA002218.....	p.115	PA005970.....	p.84	PA011422.....	p.162
PA002219.....	p.115	PA005971.....	p.85	PA011577.....	p.127
PA002220.....	p.90	PA005972.....	p.85	PA011741.....	p.28
PA002222.....	p.90	PA005973.....	p.84	PA012122.....	p.87
PA002252.....	p.164	PA006879.....	p.35	PA012123.....	p.88
PA002254.....	p.162	PA006891.....	p.116	PA012124.....	p.88
PA002258.....	p.162	PA007072.....	p.113	PA012125.....	p.88
PA002260.....	p.163	PA007275.....	p.152	PA012366.....	p.16
PA002261.....	p.163	PA007382.....	p.99	PA012395.....	p.18
PA002263.....	p.154	PA007560.....	p.97	PA012775.....	p.129
PA002265.....	p.164	PA007624.....	p.27	PA012807.....	p.152
PA002266.....	p.159	PA007745.....	p.44	PA013245.....	p.26
PA002267.....	p.164	PA007753.....	p.27	PA013246.....	p.26
PA002349.....	p.13	PA007782.....	p.153	PA013247.....	p.22

INDEX BY REFERENCE

REF.	PAGE	REF.	PAGE
PA013248.....	p.22	PA025324.....	p.172
PA013249.....	p.22	PA025325.....	p.172
PA013250.....	p.23	PA025326.....	p.172
PA013343.....	p.118	PA025619.....	p.85
PA013382.....	p.26	PA025623.....	p.38
PA013524.....	p.128	PA025624.....	p.39
PA014029.....	p.118	PA025835.....	p.171
PA014689.....	p.56	PA025923.....	p.35
PA014803.....	p.87	PA026148.....	p.18
PA015028.....	p.154	PA026436.....	p.18
PA015610.....	p.46	PA027070.....	p.84
PA015992.....	p.12	PA400074.....	p.34
PA016246.....	p.49	PA400434.....	p.48
PA016248.....	p.29	PA500050.....	p.146
PA016426.....	p.34	PA500053.....	p.146
PA016769.....	p.106	PA500209.....	p.138
PA017029.....	p.86	PA500517.....	p.142
PA017601.....	p.89	PA500526.....	p.137
PA017833.....	p.155	PA501217.....	p.140
PA018384.....	p.118	PA501300.....	p.141
PA018441.....	p.158	PA501301.....	p.141
PA018592.....	p.160	PA501305.....	p.137
PA019193.....	p.103	PA501389.....	p.140
PA019195.....	p.103	PA501392.....	p.136
PA019420.....	p.44	PA501393.....	p.136
PA020035.....	p.69	PA501396.....	p.137
PA020368.....	p.163	PA501517.....	p.140
PA020644.....	p.28	PA501542.....	p.141
PA020654.....	p.68	PA501714.....	p.112
PA020666.....	p.158	PA501715.....	p.113
PA020700.....	p.56	PA501716.....	p.37
PA020866.....	p.36	PA501725.....	p.17
PA020967.....	p.104	PA501728.....	p.48
PA020968.....	p.104	PA501730.....	p.38
PA021047.....	p.160	PA501802.....	p.146
PA021099.....	p.106	PA501805.....	p.17
PA021125.....	p.105	PA501823.....	p.36
PA021159.....	p.106	PA501824.....	p.62
PA021304.....	p.130	PA501828.....	p.138
PA021423.....	p.159	PA501854.....	p.23
PA021705.....	p.159	PA501855.....	p.23
PA021801.....	p.119	PA501859.....	p.112
PA022215.....	p.119	PA501860.....	p.136
PA022344.....	p.170	PA501871.....	p.75
PA022528.....	p.119	PA501884.....	p.147
PA023132.....	p.37	PA501901.....	p.45
PA023683.....	p.49	PA501902.....	p.45
PA023701.....	p.158	PA501903.....	p.46
PA024089.....	p.113	PA501904.....	p.45
PA025075.....	p.90	PA501911.....	p.147



Improve your efficiency

Delta Engineering Automation srl

Str. Margeanului nr. 9
Baia Mare RO-430014
ROMANIA
administration@delta-engineering.be

Phone +40 362 402 960
Fax +40 362 402 961

www.delta-engineering.be

All information in this catalogue is without engagement and can always be modified.
Delta Engineering has the right to change the technical aspects of its products at any time without prior notice.
This catalogue may not be reproduced without written authorization of Delta Engineering.